

+

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

+
 SAdH
 #2
 10.12.01

10.12.01

10857 U.S. PRO
09/919126
07/31/01

T6

Kci D

+

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.**

Please type a plus sign (+) inside this box → ☐

PTO/SB/08B (08-00)


Approved for use through 10/31/2002. OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)		Complete if Known			
		Application Number			
		Filing Date			
		First Named Inventor	Cai, Xiaohua et al.		
		Group Art Unit			
		Examiner Name			
Sheet	2	of	2	Attorney Docket Number	nova-creat

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS			
Examiner Initials¹	Cite No.¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
KEU		H. Thompson et al., Ion Electrode Based Enzymatic Analysis of Creatinine, Analytical Chemistry, Vol. 46, No. 2, February 1974, pp.246-249.	
KU		T. Tsuchida et al., Multi-Enzyme Membrane Electrodes for Determination of Creatinine and Creatine in Serum, Clinical Chemistry, Vol. 29, No. 1, 1983, pp. 51-55.	
KEU		H. Yamato et al., A Polypyrrole/Three-Enzyme Electrode for Creatinine Detection, Analytical Chemistry, Vol. 67, No. 17, September 1, 1995, pp. 2776-2780.	
KU		M. B. Madaras et al., Microfabricated amperometric creatine and creatinine biosensors, Analytica Chimica Acta, Vol. 319, 1996, pp. 335-345.	
KU		J. Schneider et al., Hydrogel matrix for three enzyme entrapment in creatine/creatinine amperometric biosensing, Analytica Chimica Acta, Vol. 325, 1996, pp. 161-167.	

Examiner Signature		Date Considered	10/16/03
-------------------------------	---	----------------------------	----------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.